ADVANTAGE

Excellent arc characteristics

for a wide range of applications

- ► Generator compatible ideal for site use
- ► HF and Lift TIG ignition meeting all requirements
- ► Full function userfriendly control panel layout for easy setup
- Available in dual version model

of welding parameters

with auto-reconnect between 230/400V

► Fan on demand (F.a.n.[™])

built-in reduces power and the intake of dust and fumes

- Recessed controls and connections designed to eliminate damage
- ► High speed Pulse on the V270-T Pulse machine to adjust the arc focus, reduce distortion and increase travel speed





DESIGNED AND ENGINEERED FOR DURABILITY & RELIABILITY

The Invertec® V270-T and V270-T PULSE have been designed and manufactured using the latest digital inverter technology allowing these machines to combine a rugged industrial construction with excellent arc characteristics.

The Invertec® V270-T and V270-T PULSE are manufactured in a lightweight but robust outer casing, making them portable and ideal for operation, even in the most hazardous environments. The flexibility and generator compatibility of the V270-T and V270-T PULSE allow them to be utilised anywhere on sites and workshops.

The Invertec® V270-T and V270-TPULSE are supplied as standard with all the features you would expect from a professional TIG welding machine including HF TIG ignition, Lift TIG ignition, 2 or 4 step, variable down slope and post flow control. The V270-T and V270-T PULSE, in addition, has a digital preset meter with a Hold Function and a built-in Variable Pulse. The control panels of these machines have been designed to show the welding sequence, making them user friendly and easy to understand. A unique feature of the V270-T PULSE is the variable high frequency PULSE that allows the welder to adjust arc focus to suit the application. This will reduce heat input, resulting in a more controlled weld, less distortion and increased welding speed.

The V270-T and V270-T PULSE are air-cooled as standard. However by adding the COOL ARC® 20 water-cooler the units are changed into professional water-cooled TIG welders.

The Invertec® V270-T and V270-T PULSE are made with a solid industrial construction, designed with the integrated features of a professional TIG welding machine capable of the toughest jobs.

THE WELDING EXPERTS®

Invertec® V270-T & T Pulse

TECHNICAL SPECIFICATIONS

Product	Item Number	Primary Voltage	Fuse Size	Weight (kg)	Dimensions HxWxD (mm)	Protection/ Insulation Class	Compliance
V270-T	K12023-1	400V/3/50-60Hz	20A				EN 60974-1
V270-TP	K12024-1	4007/3/30-0002	ZUA	13.5	385 x 215 x 480	IP23S / H	EN 60974-3 EN 60974-10
V270-TP-2V	K12024-3	230/400V/3/50-60Hz	35/20A				ROHS

WELDING OUTPUT

Current range (A)	Rated OutputTIG AC (40°C)	O.C.V
5-270	270A / 30.8 @ 35% 200A / 28 @ 100%	48Vdc

COOL ARC® 20

Product	Item Number	Flow Rate	Dimensions HxWxD (mm)	Tank Capacity	Weight (kg)
COOL ARC® 20	K12031-1	2,5 Liters/min.	180 x 215 x 480	1.7L	8,3 KG





ACCESSORIES

Item Number	Description
K10095-1-15m	Hand amptrol 15m
K870	Foot amptrol
KIT-250A-35-5M	Cable kit 5m
GRD-300-50-5m	Ground cable 5m
K10420-1	Acorox (2 x 5L)
W0200002	Undercarriage
K10513-18-4	LT 18 W Water-cooled TIG torch 4m
K10513-26-4	LT 26 G Gas-cooled TIG torch 4m



HIGH FREQUENCY PULSE





Features	Parameters
Down Slope Time	0.5 - 20 sec
Post Flow Time	0.5 - 30 sec
PULSE Frequency (low)	0.2 - 20 Hz
PULSE Frequency high)	3 - 300 Hz
On time peak	10 - 90% (of welding current)
Backgr./Peak Current	10 - 90% (of welding current)

Belgium:

Lincoln Smitweld Belgium Tel: +32 54 33 42 12

e.mail: infobe@lincolnelectric.eu

Denmark:

Lincoln Electric Nordic
Tel:+ 45 86 26 51 00
e.mail: jtimmer@lincolnelectric.eu

Finland:

Lincoln Electric Nordic

Tel: +35 8 10 52235 00 e.mail: jtimmer@lincolnelectric.eu France:

Lincoln Electric France Tel:+33 2 32 11 40 40

e.mail: infofr@lincolnelectric.eu

Germany:

Lincoln Electric Deutschland Tel:+49 2102 713960

e.mail: infode@lincolnelectric.eu

Lincoln Electric Italia Tel: +39 010 754 111 e.mail: infoit@lincolnelectric.eu The Netherlands:

Lincoln Smitweld Tel: + 31 24 3522 911

e.mail: infonl@lincolnelectric.eu

Norway:

Sveiseeksperten AS

Tel: +47 22 08 00 94

e.mail: infono@lincolnelectric.eu

Poland:

Lincoln Electric Bester Tel: +48 74 64 61 100 e.mail: infopl@lincolnelectric.eu Portugal: Electro Arco

Tel: +351 21 238 7300

Russia:

Lincoln Electric Russia Tel: +7 (495) 6609404 e.mail: russia@lincolnelectric.eu

Spain:

Lincoln Electric Spain Tel: +34 93 685 96 00 e.mail: infoes@lincolnelectric.eu Sweden:

Svetskompaniet AB

Tel: +46 (0) 320 211710 e.mail: infose@lincolnelectric.eu

UK/ Ireland:

Lincoln Electric UK Tel: +44 114 287 2401 e.mail: infouk@lincolnelectric.eu

